

General Equipment list (Provisional) - North America



3 cabins - 2 heads



2 cabins - 2 heads -
1 Desk (optional) - 1 Additional cabin (optional)

GENERAL SPECIFICATIONS*

• Overall Length (L.O.A):		
- with bowsprit	15,95 m	52'4"
- without bowsprit	15,56 m	51'1"
• Hull length	14,98 m	49'2"
• L.W.L.	14,05 m	46'1"
• Hull Beam	4,86 m	15'11"
• Deep draft	2,20 m	7'3"
• Deep ballast weight	3 965 kg	8,739 lbs
• Shallow draft	1,85 m	6'1"
• Shallow ballast weight	4 450 kg	9,811 lbs
• Air draft	22,62 m	74'3"
• Light displacement (EC)	15 515 kg	34,195 lbs
• Fuel tank capacity (standard)	415 L	110 US Gal
• Fuel tank capacity (Optional equipment)	415 L	110 US Gal
• Fresh water capacity (standard)	570 L	151 US Gal
• Fresh water capacity (Optional equipment)	160 L	42 US Gal
• Engine power	80 HP	80 HP

ARCHITECTS / DESIGNERS*

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

CE CERTIFICATION*

- Category A - 9 people
- Category B - 10 people
- Category C - 14 people

STANDARD SAILS DIMENSIONS*

• Mainsail	63 m ²	678 sq/ft
• Furling mainsail	53 m ²	560 sq/ft
• Genoa (105 %)	60 m ²	646 sq/ft
• Asymmetrical spinnaker	185 m ²	1,991 sq/ft
• Code 0	105 m ²	1,130 sq/ft
• Self-tacking jib	46 m ²	495 sq/ft
• Staysail	24 m ²	258 sq/ft
• I	20,00 m	65'7"
• J	6,15 m	20'2"
• P	18,90 m	62'
• E	5,95 m	19'6"

* Provisional specifications, boat in process of certification



STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to CE certification

- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and fiberglass sandwich covered in "diamond point" type non-slip surface
- Deck hull joint bonded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Twin underhung rudders with stainless steel stock
- White hull - Grey metallic livery

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders - MDS roller slides
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- Backstay: Bridle
- Rigid boom vang
- Genoa furling system with drum on the deck
- 2 "STANDUP" blocks on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 genoa sheet turning blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 Reefing lines, 1 Manual reef
- 12 Line stoppers, and other control lines
- 2 Line storage boxes

WINCHES

- 2 Self-tailing genoa sheet winches (H60.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles SpeedGrip
- 2 Winch handle holders

SAILS

- Furling genoa with UV protective strip DACRON
- Full batten dacron mainsail DACRON
- Lazy Jack System and Lazy bag in Natural color

MOORING - ANCHORING GEAR

- Self-bailing chain locker with clench eye
- 1 Opening access cover to chain locker
- Stainless steel bow fitting 2 rollers - Stainless steel bobstay
- 12 V - 1500 W vertical electric windlass - Remote control
- 8 Aluminum mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Fixed stainless steel pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Ensign staff
- Double lifelines and stainless steel stanchions - Openings in guardrail to port and starboard
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- Self-bailing cockpit, natural solid wood decked
- 1 Port cockpit locker (access to technical space)
- 1 Starboard cockpit locker (access to technical space)
- Gas locker beneath starboard cockpit seat
- Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm / 2'11" diameter - Leather covered - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder - 2 Steering compass on consoles
- Deck filler for access to tiller system
- Transom protector for raising the tender
- 1 Emergency tiller
- Engine throttle and control panel to starboard
- Wooden cockpit table with leaf to starboard which can be transformed into sun-bathing area
- 2 Waterproof speakers on fixed arch
- Cockpit lighting integrated in fixed arch
- 1 Glazed companionway hatch slides under the deck
- 1 PMMA companionway door
- 2 Fixed deck windows
- 1 Hot and cold cockpit shower
- 1 Shore power socket

AFT TRANSOM

- Fully opening transom, convertible into swim platform (3,20 m x 0,80 m / 12'6" x 2'7")
- Electrically controlled opening swim platform
- Natural solid wood decking on swim platform
- Folding bathing ladder (stainless steel), Solid wood steps, Hand rail



INTERIOR

- Woodwork: "Cherry stained" Alpi ou Alpi walnut (optional)
- White ceruse oak laminate flooring
- Bulkheads upholstered in vinyl fabric
- Fabric upholstery in the salon
- Marine mattresses in the cabins

COMPANIONWAY

Headroom: 1,98 m / 6'6"

- Wooden companionway with cold-molded 3 steps
- 2 Leather covered stainless steel handrails

SALON

Headroom: 1,98 m / 6'6"

- U-shaped salon bench
- Salon table in 1 piece, Varnished wood top with inlay, Aluminum legs.
- 1 Central unit with folding bench seat - Storage - Bar
- Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Hull porthole with curtain
- 1 Fixed coachroof side window with pleated blind
- 1 Fixed wrap-around window to cockpit
- 1 Flush deck hatch with mosquito blind
- 1 Dorade

CHART TABLE

- Control console with flap - Glove boxes - Storage - Molded wood beading
- Navigator's seat with (15°) tilting cushion to compensate for heel
- Electrical panel
- Navigation instrument panel (without instruments)
- Radio with stereo CD / MP3 player - 2 Loudspeakers
- Battery switch panel + Breaker panel

GALLEY

Headroom: 1,98 m / 6'6"

- Lengthways galley counter
- Synthetic resin worktop in grey
- 1 Sink with 2 rectangular bowls, in Grey synthetic resin
- 1 Valve - mixing tap hot/cold water
- 1 Gas stove 2 burners, Stainless steel oven on gimbal mountings
- 1 Fridge 200 L, ice-cube tray front and top-opening
- 1 Cooler 100 L, top opening
- Cupboard units - Drawers - equipped lockers
- 1 Hull porthole with curtain
- 1 Fixed coachroof side window with pleated blind
- 1 Fixed wrap-around window to cockpit + Blinds

FORWARD CABIN

Headroom: 1,90 m / 6'3"

- Central double bed (2,00 x 1,02 m - 1,57 m / 6'7" x 3'4" - 5'2"), Slatted bed base
- 2 Hanging lockers, Cupboard, Cubby hole lockers, Glove boxes - 3 Drawers
- Mirrors
- 2 Hull portholes with curtain
- 2 Opening deck hatches with mosquito blinds
- 1 Dorade

STARBOARD FORWARD HEAD COMPARTMENT

Headroom: 1,99 m / 6'6"

Private entrance through forward cabin

- Separate molded shower, mixing tap hot/cold water, Shower screen
- Manual marine toilet + Holding tank (80 L / 21 US Gal)
- Sink - Worktop - mixing tap hot/cold water
- 2 Mirrors
- Toilet accessories
- Cupboard and cubby hole
- 2 Flush deck hatches with mosquito blind

PORT CABIN

Headroom: 1,98 m / 6'6"

- Double bed (2,00 x 1,05 m - 1,43 m / 6'7" x 3'5" - 4'8") - Slatted bed base
- Hanging locker, Cupboard units, Lockers and cubby holes
- 1 Hull porthole with curtain
- 2 Opening deck hatches with mosquito blinds

PORT HEAD

Headroom: 2,05 m / 6'9"

Access by passageway - Private entrance through port cabin

- Separate molded shower, mixing tap hot/cold water, Shower screen
- Manual marine toilet + Holding tank (80 L / 21 US Gal)
- Sink - Synthetic resin worktop - mixing tap hot/cold water
- Mirror
- Toilet accessories
- Cupboard and cubby hole
- 1 Fitted deckhouse side window with curtain
- 1 Opening deck hatch with mosquito blind

STARBOARD CABIN

Sliding entrance door

- 2 Single bunk-beds
- Hanging lockers, Cupboard units, Cubby hole lockers
- 1 Flush deck hatch with mosquito blind
- 1 Hull porthole with curtain



BENETEAU

Sense 51

General Equipment list (Provisional) - North America

ENGINE

- Engine Yanmar Diesel 80 hp / 80 HP, Common rail, Sail Drive
- Engine control - Key start - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V / 125 Amp
- 1 Rotomoulded diesel tank (415 L / 110 US Gal in the salon) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Water separator
- Fixed three blade propeller
- Engine access via companionway and machinery space (opening with gas piston)

ELECTRICITY

- 12 V Circuit - 115 V Circuit
- 2 Service batteries (2x140 Amp) - 1 Engine battery (110 Amp)
- 1 40 Ah Battery charger - 1 115V Shore power supply - 1 Load balancer
- Electrical panel (12 V / 115 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 11 115 V Power outlets
- Interior lights LED: Overhead lights
- Outside lighting: 1 Forward and aft navigation lights - 1 Engine navigation light / Deck light forward of mast - 1 Mooring light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 2 Rotomolded freshwater tanks (200 L / 53 US Gal Salon - 330 L / 87 US Gal forward cabin) - Separate fillers - Tank selection with "¼ turn" by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 40 L / 11 US Gal Electric calorifier (Operation off engine or on 115 V electrical system)
- 1 Rigid 80 L / 21 US Gal black water holding tank for each WC
- Electrical shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas bottle box in the cockpit (1 or 2 bottles, according to model)
- Regulator and solenoid



TRIM LEVEL

	ESSENTIAL	EXCLUSIVE
• Bowsprit with integrated anchor roller and bobstay	■	■
• Cockpit galley (Sink - Gas griddle)	■	■
• 1 Port electric coachroof winch (H50.2 STECH)	■	■
• Releasable forestay chainplate	■	■
• Stainless steel beading for fenders in cockpit locker	■	■
• 4 Opening portholes in galley and salon windows	■	■
• Hifi: Fusion + Interior speakers & Waterproof exterior speakers	■	■
• Galley: 12 V Freezer compartment in 100 L Top-opening icebox (Freezer)	■	■
• 12/110V Inverter 2 kVA	■	■
• 2 Service batteries (2 x 140A, 12V) + 40 Amp Additional battery charger	■	■
• AGM batteries	■	■
• Storage space(s) under the floor	■	■
• LED interior lights	■	■
• Textile storage on 2 steering consoles		■
• Pump for deck washing		■
• Upgrade - Bose Acoustimass 3 speakers in salon		■
• Galley: "Luxe" 3 burners hob, stainless steel oven and grill		■
• 2 USB sockets at the chart table		■
• LED interior lights (Indirect)		■

PACKS

ELECTRONIC B&G PACK

A Pack

- Helm consoles to port and starboard:
 - 1 Triton 2 B&G display (Log, Speedometer, Depth sounder, Windvane anemometer)
 - Multifunction touchscreen B&G Zeus 9" wide (GPS, Chart plotter, Chart reader - Cartography Navionics Silver included)
- Wifi interface
- PC interface

B Pack

- Multifunction touchscreen B&G Zeus 12" wide, Chart table

Pilot Pack

- AC42 Autopilot (with gyro compass), Control at steering station
- WR10 Wireless autopilot remote control



OTHERS

NAVIGATION ELECTRONICS: B&G

- 4G Radar
- AIS 400 (Transmitter / Receiver)
- Chart table: Fixed B&G RS90 VHF, integrated AIS receiver function + H50 cockpit handset
- Forward Scan Sensor (Forward underwater vision)

RIGGING - SAIL

- Anodized furling mast with Mylar Taffetas Mainsail and Genoa
- Asymmetrical spinnaker rigging + Code 0 rigging
- Self-tacking jib hardware
- Hydranet sail for classic mast (instead of standard)
- Hydranet self-tacking jib (replacing genoa)
- Dacron self-tacking staysail with manual furling + Fixed forestay
- Laminated Mylar Taffetas (Code 0) with furling drum
- Asymmetrical spinnaker
- Backstays with turnbuckles (Adjustable)*
- Genoa sheet track leads adjustable from the cockpit
- Electric genoa furling system
- Flag halyards

* Except on mast with in-mast furling

WINCHES

- Electric genoa sheet winches (H60.2 STCEH)
- Starboard electric coachroof winch (H46.2 STCEH)
- Rewind rope handling winch

HULL - DECK - COCKPIT

- Blue-grey hull - Pearl white livery
- Pearl Grey hull - Matte black hull decoration
- Metallic hull paint
- Solid wood slatted side decks
- Wood cockpit table with electrical up/down system (Starboard) - White PVC protective cover
- Wood cockpit table (Port), plate and removable seat
- White or black steering wheels and console covers
- Rigid bimini with foldable Cadet Grey canvas
- Bimini Luxe, Cadet Grey
- Full cockpit enclosure Luxe, Cadet Grey
- Bimini Luxe + Sprayhood, Cadet Grey
- Covers pack Luxe (Table, steering wheel and console), Cadet Grey
- Nette Stone exterior upholstery (+ helmsman seatbacks and seats)
- Bow thruster
- 3 folding blade propeller
- 2nd arch with davits and instrument base
- 2nd arch with davits, solar panels + wind turbines
- White or black composite steering wheels
- Moorings lines, anchoring gear, fenders
- Windlass control with chain counter in cockpit
- Shore freshwater supply
- Underwater lights
- Windex Windvane
- Motorised companionway door + 2 Remote controls

INTERIOR EQUIPMENT

- Interior woodwork: Alpi walnut
- Upholstery: Leather, Ultraleather, Fabric
- Carpet: Pure Sand or Oasis Taupe
- Salon / cabin cushioning: Meteor or Taupe
- Ivory lacquered doors (Salon - Galley)
- Luxe folding salon table on electric leg with up/down control
- TV Pre-wiring + Fusion player (Bluetooth, USB, DVD, MP3), in the salon
- TV Pre-wiring + DVD and MP3 player in master cabin
- Double berth in salon
- 110 V Microwave oven
- Dishwasher for 6 place settings (110 V)
- Exhaust fan
- Sea water/fresh water foot pump
- Freshwater filter
- 110V Ice maker
- Washer / dryer 110 V
- Safe
- Electrically-operated salon window blinds
- Electric toilet
- Extra water tank (160 L / 42 US Gal under port cabin berth)
- Extra fuel tank (415 L / 110 US Gal in the salon)
- 7.5 kVA 110 V/ 60 Hz Generator
- Water maker - 60 L/h (16 US Gal/hr) - 12/110V
- Water heater system
- Chilled water air conditioning

OTHER LAYOUT VERSIONS AVAILABLE

DESK

In place of the cabin starboard

- Lockers with shelves - Removable seating
- 1 mattress stored in a dedicated locker and used to convert the table into an occasional berth (2,00 x 0,44 m - 0,73 m / 6'7" x 1'5" - 2'11")
- 1 Flush deck hatch with mosquito blind
- 1 Hull porthole with curtain

ADDITIONAL CABIN

In addition to the port technical area

- Port aft, Access through the cockpit locker - Gas locker strut opening
- 1 Single berth (2,00 x 0,60 m / 6'7" x 2')
- 1 Opening porthole
- 1 Hinged plexiglass panel in the cockpit side