



GENERAL SPECIFICATIONS

• Overall Length (L.O.A) *:	14,74 m	48'4"
• Hull length:	12,77 m	41'11"
• Overall width:	4,5 m	14'9"
• Hull Beam:	4,42 m	14'6"
• Light displacement (EC):	12 200 kg	27,896 lbs
• Air draft:	5,79 m	19'
• Draft (including propeller):	1,15 m	3'10"
• Fuel tank:	1 930 L	510 US Gal
• Water tank:	640 L	169 US Gal
• Holding tank:	170 L	45 US Gal
• Grey water tank (Option):	320 L	85 US Gal
• Engine power:		
- standard	2 x 380 HP	2 x 380 HP
- Option	2 x 425 HP	2 x 425 HP

* (with aft swim platform + Anchor in position)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

EC CERTIFICATION

- Category B: 14 people
- Category C & D: 16 people

sea@apps

CONNECT YOUR BOAT FREE YOUR MIND



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin infusion - fiberglass)
- White gelcoat 9010
- Structural hull counter molding in monolithic laminate (Polyester resin infusion - fiberglass)

Profile:

- Semi-planing hull

DECK

Composition:

- Sandwich (Polyester resin infusion - fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resin - fiberglass)
- White gelcoat 9010
- Diamond tip type non-slip surface

AMBIANT

- Alpi teak woodwork
- Rovere Alévé Parquet type laminated floorboards
- Marlin Brilliant White PVC interior upholstery
- Anthracite pilot seat
- Marlin Brilliant White PVC Exterior upholstery

DECK EQUIPMENT

Gangway door to starboard

MOORING - ANCHORING GEAR

- Double stainless steel bow fitting
- 2 000 W Vertical electric windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400 mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

COCKPIT

- Self-bailing cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Cockpit shower hot/cold water
- Double port cockpit access door
- Swimming platform with rubbing strake (4 x 1,4 m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the swim platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder
- 4 Cup holders

FLYBRIDGE

- Flying bridge self-bailing
- Retractable stainless steel ladder with double access ramp to the flybridge with solid wood treads
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Trim tab
- Gauges indicators
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge face-to-face salon with 2 bench seats in an L shape, with integrated stowage and an extendable solid wood table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates
- Set of flybridge covers (console + bench seating + table)
- 6 Cup holders

**INTERIOR****SALON**

Headroom: 1,97 m / 6'5"

- Raised U-shaped dinette settee convertible to double berth (2,4 x 1,32 m / 7'10" x 4'4")
- Dividing rail and curtains for berth
- Roman blinds with opening window
- Adjustable height, varnished wood dining table
- Sideboard unit with shelved cupboards and winerack
- Sliding door aft 3 panel with black lacquered aluminium frame
- Leatherette sheathed stainless steel handrail in cockpit deckhead
- TV Pre-wiring (Fusion Apollo MS-RA770 + premium loudspeakers, in the salon, cockpit and flybridge)

GALLEY

Headroom: 1,97 m / 6'5"

L-shaped kitchen

- Full height Fridge/Freezer 255 L/67 US Gal
- Corian countertop
- Large stainless steel sink with cold/hot water mixer
- Gas oven
- 3-burner hob with protective glass cover
- Overhead lockers
- Cutlery drawer
- Magic corner stowage, cupboards and drawers
- Double waste bin
- 110 V Power outlet

STEERING STATION

- Grey helm console
- Clear glass windscreen with black lacquered aluminum frames
- Anti-reflective coating
- 3 Synchronized windscreen wipers
- Windscreen washer
- Defogger
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Rev counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Remote control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Cup holder
- Pilot seat with flip up bolster, fully adjustable leg with flip up footrest
- Sliding side door with direct access to sidedeck

OWNER'S CABIN (FORWARD)

Headroom: 1,96 m / 6'5"

- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- Storage under berth
- Storage each side of bed
- Full length mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind
- TV Pre-wiring (Fusion Apollo MS-RA770 + premium loudspeakers with stand for up to 24" TV)

HEAD (OWNER'S CABIN)

Headroom: 1,96 m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight

VIP CABIN (PORTSIDE)

Headroom: 1,92 m / 6'3½"

• 2 Single beds (1,98 x 0,7 m / 6'6" x 27½")

In-fill cushions to make up double berth

- En-suite door to day head
- Bedside table
- Full length mirror
- Wardrobe
- Cupboard units
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind

THIRD CABIN (STARBOARD)

Headroom: 2,01 m / 6'7"

• Double berth (1,94 x 1,40 m / 6'4½" x 4'7")

- Bedside shelf
- Wardrobe
- Storage under berth
- Opening hull portholes with curtains

DAY HEAD (PORT SIDE)

Headroom: 1,93 m / 6'4"

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Separate shower compartment with seat and hull porthole
- Deck hatch with mosquito screen/blind
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight



ENGINE

- Shaft propulsion
- Four-blade propellers
- Cummins QSB 6,7L engine 2 x 380HP (2 x 279Kw) (standard)
- Cummins QSB 6,7L engine 2 x 425HP (2 x 313Kw) + Joystick (Option)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965 L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system

- Steering system:
 - 2 Rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs

ELECTRICITY

- Electrical panel (12 V / 110 V)
- Shore power socket (110 V)
- 13 110V Sockets: 2 in the salon, 2 in galley, 2 in owner's cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head, 1 in the flybridge, + 2 for TV (Salon + Owner's cabin)
- 12 USB sockets: 2 in the salon, 2 in steering station, 4 in owner's cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 2 double antenna sockets (TNT - SAT)
- 4 12V 140Ah service batteries (AGM)
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- Generator (7,5 KVA - 110 V / 50 Hz) + COCON
- 1 12 V Power outlet
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Shore freshwater supply
- Pump for deck washing
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- Water tank filler
- 2 Rotomolded water tanks (2 x 320 L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

- Smoke detector



TRIM LEVEL & PACKS

ESSENTIAL TRIM PACKAGE

- AMS Web server (Ship control)
- Double station deck searchlight
- 40 L refrigerator, on flybridge
- Pre-wiring for heating
- Air conditioning pre-arrangement
- Inverter (2 KVA)
- 2 9" Raymarine interior screens
- 2 9" Raymarine exterior screens
- Auto pilot
- Raymarine VHF

PACKS

ELECTRONIC PACK

- 2 12" Raymarine interior screens (to replace 9", included in the Essential trim level)
- 2 12" Raymarine exterior screens (to replace 9", included in the Essential trim level)
- AIS transceiver

SMART PACK (only available with the generator option)

- Flybridge T-top with sliding soft-top
- Hydraulic swim platform 350kg toy allowance
- Aft platform tender mounting
- Demountable bathing ladder on portside

OPTIONS

AMBIANT

- Teak plain doors (standard)
- Teak doors with teak slats & infill panel
- Teak doors with crème slats & infill panel
- Oak plain doors
- Oak doors with oak slats & infill panel
- Oak doors with crème slats & infill panel
- Oak stripe version & Brown oak laminated floors
- African Spirit Grey carpet (wheelhouse + Salon)
- Skye 53 carpet (Cabins + passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- Bolt Greige 06 fabric interior upholstery
- Crevin Noah 52 fabric interior upholstery
- VERTICE River Rock interior upholstery
- VERTICE Bianco interior upholstery
- VERTICE Cava interior upholstery
- VERTICE Robusta interior upholstery
- Marlin Brilliant White PVC cockpit seat
- Confort - Dolce 51 PVC cockpit seat
- Confort - Dolce 51 external upholstery, with bolster seat on flybridge
- Marlin Brilliant White PVC fore sun deck
- Confort - Dolce 51 PVC fore sun deck
- Pearl Grey hull



INTERIOR LAYOUT / ONBOARD COMFORT

- Washer / dryer
- Dishwasher for 6 sets
- 110 all electric kitchen (Combined oven/microwave grill, replacing the gas oven and 2-ring induction hob)
- Wine cellar 23 bottles in end of raised dinette
- Villeroy & Boch cutlery, crockery and illuminated glassware cupboard (8 places settings)
- Electric pedestal folding dinette table with drinks holders and handrail
- Water heating (12 kW)
- Mosquito screens (Side doors + Aft window door + Portholes)

EXTERIOR OPTIONS

- Complete mooring/anchoring kit:
 - Delta anchor 25 kg
 - Chain (12 mm diameter - Length 85 m)
 - Mooring line (18 mm diameter - Length 20 m)
 - 4 Docklines (18 mm diameter - Length 15 m)
 - 6 Fenders (250 mm diameter - height 700 mm)
- Fore canvas sunshade
- Exterior guards: Oyster or Flanelle
 - Cockpit aft enclosure
 - Flybridge closing
 - Bimini of Flybridge
 - Flybridge dodgers
- Hydraulic gangway (2,72m deployed length)
- Black exterior wheelhouse curtains Sunworker in wheelhouse
- Ice maker, in salon sideboard
- Electric flybridge grill
- Folding cockpit table & 2 chairs
- PVC cockpit seat cushion Marlin Brilliant White
- Cockpit seat cushion Dolce 51

WATER SYSTEM

- Water maker 60 L/h / 16 US Gal/hour
- Rigid sewage reserve

ENGINE

- Cummins QSB 6,7L engine 2 x 425HP (2 x 279Kw)
- Cummins joystick (Engines & Bow thruster)
- Double station stern thruster (170 kgf)
(Not available with Joystick + requires the bow thruster)
- 3rd Control joystick
- Automatic fire suppression system
- Cummins spares box

NAVIGATION ELECTRONICS

- Windvane
- Aft camera
- Raymarine Radar
- Raymarine ClearCruise (augmented reality)